SIGMA-ALDRICH

Material Safety Data Sheet

Version 4.5 Revision Date 11/19/2012 Print Date 03/19/2014

1. PRODUCT AND COMPANY IDENTIFICATION				
Product name	:	Nickel(II) chloride hexahydrate		
Product Number Brand	:	203866 Aldrich		
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA		
Telephone	:	+1 800-325-5832		
Fax	:	+1 800-325-5052		
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555		
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956		

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Carcinogen, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Skin and respiratory sensitizer, Irritant, Teratogen, Mutagen

Target Organs

Lungs

GHS Classification

Acute toxicity, Oral (Category 3) Acute toxicity, Inhalation (Category 3) Skin irritation (Category 2) Respiratory sensitization (Category 1) Skin sensitization (Category 1) Germ cell mutagenicity (Category 2) Carcinogenicity (Category 1B) Reproductive toxicity (Category 1B) Acute aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)	
H301 + H331	Toxic if swallowed or if inhaled
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.

H400	Very toxic to aquatic life.
Precautionary statement(s) P201 P261 P273 P280 P301 + P310 P311	Obtain special instructions before use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Avoid release to the environment. Wear protective gloves. IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Call a POISON CENTER or doctor/ physician.
HMIS Classification Health hazard: Chronic Health Hazard: Flammability: Physical hazards:	2 * 0 0
NFPA Rating Health hazard: Fire: Reactivity Hazard:	2 0 0
Potential Health Effects	
Inhalation Skin Eyes Ingestion	Toxic if inhaled. Causes respiratory tract irritation. May be harmful if absorbed through skin. Causes skin irritation. Causes eye irritation. Toxic if swallowed.
OMPOSITION/INFORMATION C	ON INGREDIENTS
Farma ula	

3. COI

Formula Molecular Weight	: Cl ₂ Ni · 6H ₂ O : 237.69 g/mol	
Component		Concentration
Nickel(II) chloride hex	ahydrate	
CÁS-No.	7791-20-0	-

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Nickel/nickel oxides

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Nickel(II) chloride hexahydrate	7791-20-0	TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Lung damage Nasal cancer Not classifiable as a human carcinogen varies			
		TWA	0.015 mg/m3	USA. NIOSH Recommended Exposure Limits
	Potential Occupational Carcinogen See Appendix A			

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 480 min Material tested:Dermatril® (Aldrich Z677272, Size M)

Splash protection Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 30 min Material tested:Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	Crystals with lumps
Colour	green
Safety data	
рН	no data available
Melting point/freezing point	no data available
Boiling point	no data available
Flash point	not applicable
Ignition temperature	no data available
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapour pressure	no data available
Density	no data available
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapour density	no data available
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid Avoid moisture.

Materials to avoid Strong oxidizing agents, Peroxides

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Nickel/nickel oxides Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - 105 mg/kg Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Olfaction:Other changes. Behavioral:Somnolence (general depressed activity). Diarrhoea

Inhalation LC50

no data available

Dermal LD50 no data available

Other information on acute toxicity no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitization May cause allergic respiratory and skin reactions

Germ cell mutagenicity

In vitro tests showed mutagenic effects

Genotoxicity in vitro - Human - HeLa cell DNA damage

Genotoxicity in vitro - Hamster - fibroblast Sister chromatid exchange

Genotoxicity in vitro - mouse - mammary gland Mutation in mammalian somatic cells.

Genotoxicity in vitro - mouse - mammary gland Cytogenetic analysis

Genotoxicity in vivo - rat - Subcutaneous DNA damage

Carcinogenicity

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (Nickel(II) chloride hexahydrate)

NTP: Known to be human carcinogen (Nickel(II) chloride hexahydrate)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Reproductive toxicity - rat - Oral Effects on Newborn: Viability index (e.g., # alive at day 4 per # born alive).

no data available

Teratogenicity

Presumed human reproductive toxicant

Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard

no data available

Potential health effects

Inhalation	Toxic if inhaled. Causes respiratory tract irritation.
Ingestion	Toxic if swallowed.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.

Signs and Symptoms of Exposure

Gastrointestinal disturbance, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: QR6480000

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 0.51 mg/l - 48 h and other aquatic invertebrates

Persistence and degradability

no data available

Bioaccumulative potential no data available

Mobility in soil no data available

PBT and vPvB assessment

no data available

Other adverse effects

Very toxic to aquatic life.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3288 Class: 6.1 Packing group: III Proper shipping name: Toxic solid, inorganic, n.o.s. (Nickel(II) chloride hexahydrate) Reportable Quantity (RQ): Marine pollutant: No Poison Inhalation Hazard: No

IMDG

UN number: 3288 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (Nickel(II) chloride hexahydrate) Marine pollutant: No

IATA

UN number: 3288 Class: 6.1 Packing group: III Proper shipping name: Toxic solid, inorganic, n.o.s. (Nickel(II) chloride hexahydrate)

15. REGULATORY INFORMATION

OSHA Hazards

Carcinogen, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Skin and respiratory sensitizer, Irritant, Teratogen, Mutagen

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels	established by SARA Title III,	Section 313:

Nickel(II) chloride hexahydrate	CAS-No. 7791-20-0	Revision Date 1987-01-01
SARA 311/312 Hazards		

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Nickel(II) chloride hexahydrate	CAS-No. 7791-20-0	Revision Date 1987-01-01
Pennsylvania Right To Know Components Nickel(II) chloride hexahydrate	CAS-No. 7791-20-0	Revision Date 1987-01-01
New Jersey Right To Know Components Nickel(II) chloride hexahydrate	CAS-No. 7791-20-0	Revision Date 1987-01-01
California Prop. 65 Components WARNING! This product contains a chemical known to the State of California to cause cancer. Nickel(II) chloride hexahydrate	CAS-No. 7791-20-0	Revision Date 2004-05-07

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.